

PA Amplifiers

EUROPOWER

EPX2800

Professional 2800-Watt Lightweight Stereo Power Amplifier with ATR (Accelerated Transient Response) Technology

- 2 x 1400 Watts into 2 Ohms; 2 x 800 Watts into 4 Ohms; 2800 Watts into 4 Ohms (bridge mode)
- ATR (Accelerated Transient Response) technology for ultimate punch and clarity
- Ultra-light, ultra-low noise and ultra-efficient switch-mode power supply for noise-free audio, superior transient response and low power consumption
- Switchable limiters offer maximum output level with reliable overload protection
- Detented gain controls for precise setting and matching of sensitivity
- Precise Power, Signal and Limit LEDs to monitor performance
- XLR, ¼" TRS and RCA input connectors for compatibility with any source
- Professional speaker connectors and "touch-proof" binding posts support most speaker wiring systems
- Built-in Subwoofer/Satellite crossover for more flexibility
- Independent DC and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system including air filter for reliable operation



The remarkable EPX2800 packs an amazing 2800 Watts of output power into an exceptionally lightweight (22.3 lbs/10.1 kg) package, thanks to our Accelerated Transient Response (ATR) technology. Ample power (2 x 1400 Watts @ 2 Ohms; 2 x 800 Watts @ 4 Ohms; 2800 Watts @ 4 Ohms Bridge mode) and high-tech efficiency combine, giving you a feather-light, supercharged workhorse that will keep your rig kicking for years and years to come.



Think of a Class-H amp as being similar to a car with two engines (in amps, we call them "rails"). One engine runs all the time; the other only runs when musical peaks demand the extra power output. An EPX2800 Class-H amp only generates a fraction more power than is immediately needed, while the output stage operates at its maximum efficiency all the time. And just like in today's hybrid cars, the efficiency of the EPX2800's dual system is far greater than having just one engine (or rail) that has to operate continuously.

In a Class of its Own

The secret to the EPX2800's incredible power-to-weight ratio is the use of a switch-mode power supply combined with Class-H topology. Because it works on demand, instead of operating continuously at full power, a switch-mode power supply is much more efficient than a traditional power supply. And since it doesn't need the massive transformer and heat sink typically found in a conventional power amp, the switch-mode supply in the EPX2800 is significantly smaller and lighter, yet still delivers massive power.

Think of a Class-H amp as being similar to a car with two engines (in amps, we call them "rails"). One engine runs all the time; the other only

EUROPOWER EPX2800

Professional 2800-Watt Lightweight
Stereo Power Amplifier with ATR
(Accelerated Transient Response) Technology

- “Built-like-a-tank”, impact-resistant, all-steel 2U rackmount chassis
- 3-Year Warranty Program*
- Conceived and designed by BEHRINGER Germany

Accelerated Transient Response Delivers the Knockout Punch

It takes huge pulses of energy (current and voltage) to propel a woofer cone out fast enough to match a bass beat. That’s called Transient Response and it’s the holy grail of amp design. By carefully selecting transistors with extremely high slew rates and optimizing other proprietary parts of our circuitry, our amps are able to react instantly to even the most demanding electronic bass impulses. If the woofers in your PA system can keep up, your audience will hear a tighter, crisper, more natural sound.

Instead of operating relatively continuously like most power amps, the EPX2800 features rail tracking for effectively modulating the power supply rails with only the peaks of the input signal. This technology has revolutionized pro audio amp designs with its outstanding performance and efficiency. When combined with switching-mode power supplies that do away with heavy toroid transformers, our new designs provide more dynamic punch and, since they are so much more efficient, run cooler and don’t require huge, heavy heat sinks.



PA Amplifiers

EUROPOWER EPX2800

Professional 2800-Watt Lightweight
Stereo Power Amplifier with ATR
(Accelerated Transient Response) Technology



Sublimely Simple Operation

The front panel controls and indicators provide your system's vital signs at a glance. After pressing the Power button, the Power LED lights to show the amp is ready for action. All channels feature positive-detent Gain controls with Signal LEDs that light when a signal is present, as well as Clip LEDs to indicate when the signal is distorted and you need to reduce the input signal.

Just as elegant as the front, the rear panel is home to the balanced XLR, 1/4" TRS, and unbalanced 1/4" TS and RCA connections. Take your pick of professional locking speaker Outputs or touch-proof binding posts to securely connect speakers. The same panel contains the switch that puts the EPX2800 in Mono, Stereo (two channel mode) or mono Bridge mode. A built-in Crossover switch allows you to send low-frequency content to subwoofers and other sound reinforcement speakers (CH1 < 100 Hz / CH2 > 100 Hz or Fullrange). Flick the Limiter On/Off switch to activate the built-in overload protection.

Sound Value

The remarkable EPX2800 power amp was built for the working musician. It is exceptionally light, packs a massive 2,800 Watts of output power, thanks to our Accelerated Transient Response (ATR) technology and is built rugged enough for life on the road. Plus, the EPX2800's ultra-light price tag will leave cash left over for you to get more stuff to amplify! Check out the EPX2800 at your [BEHRINGER](#) dealer, or order yours online today!





You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own **MUSIC Group** factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous **3-Year Warranty** program.

PA Amplifiers

EUROPOWER EPX2800

Professional 2800-Watt Lightweight
Stereo Power Amplifier with ATR
(Accelerated Transient Response) Technology



PA Amplifiers

EUROPOWER EPX2800

Professional 2800-Watt Lightweight
Stereo Power Amplifier with ATR
(Accelerated Transient Response) Technology



For service, support or more information contact the BEHRINGER location nearest you:

Europe
MUSIC Group Services UK
Tel: +44 156 273 2290
Email: CARE@music-group.com

USA/Canada
MUSIC Group Services NV Inc.
Tel: +1 702 800 8290
Email: CARE@music-group.com

Japan
MUSIC Group Services JP K.K.
Tel: +81 3 6231 0454
Email: CARE@music-group.com

MUSIC Group accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK, LAB GRUPPEN, LAKE, TANNÖY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and DDA are trademarks or registered trademarks of MUSIC Group IP Ltd.
© MUSIC Group IP Ltd. 2016 All rights reserved.

